

JVC

YEARS AHEAD. DRVN BY JVC.

All screen pictures in this catalogue are simulated.
iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied,
and must be purchased separately.

- Wi-Fi® and the Wi-Fi CERTIFIED logo are trademarks of Wi-Fi Alliance.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- "Made for iPod", and "Made for iPhone" mean that an electronic accessory has been designed to connects specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance. iPhone, iPod, iPod classic, iPod nano, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance. Apple CarPlay is a trademark of Apple Inc.
- Android, Android Auto, Google Play and other marks are trademarks of Google Inc.
- The android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.
- The product with the Hi-Res Audio logo is conformed to Hi-Res Audio standard defined by Japan Audio Society. The logo is used under license from Japan Audio Society.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.
- DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license.
- The "AAC" logo is a trademark of Dolby Laboratories.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- Waze, and Waze logo are trademarks of Waze Mobile Ltd. The Images may be different from the actual images.
- Dolby, Dolby Audio and the double-D symbol are trademarks of Dolby Laboratories.

Design and specifications subject to change without notice.
The photos of the products featured in this brochure may not be of actual products that are available in your country.

Copyright © 2017, JVC KENWOOD Corporation. All Rights Reserved.

JVC

JVC KENWOOD ASIA HEADQUARTERS
1 ANG MO KIO STREET 63, SINGAPORE 569110



<http://sg.jvc.com/car/>



<http://in.jvc.com/car/>

*JVC® is the brand of JVC KENWOOD Corporation.



MOBILE ENTERTAINMENT 2017

YEARS AHEAD. THE JVC FLAGSHIP MODEL.

KW-V930BW

Built-in Wi-Fi®,
6.8inch WVGA Clear-coated Display, AV Receiver

Tech Specs -Connectivity-

- Apple CarPlay™ via USB connection
- Android Auto™ via USB connection
- Air Mirroring, Smartphone Mirroring over Wi-Fi®
- Built-in Wi-Fi®
- Built-in Bluetooth® Version 3.0
- Rear Dual USB inputs
- Maximum 1.5A Quick Charging for selected Android™ Smartphones
- iPhone® and Android™ music playback

Tech Specs -Audio & Visual-

- 6.8inch WVGA 800x480 pixels
- Clear-coated Resistive Touch Panel
- Customizable GUI background




- FM/AM Radio with Radio Data System (Digital Processing Tuner)
- MOS-FET 50W x4ch Amplifier
- 13-Band Graphic EQ / Time Alignment
- Playable High-Resolution Audio File
- K2 Technology to Reproduce High-Resolution Sound

Tech Specs -Peripheral Interfaces-

- Rear View Camera Input includes Guideline
- AV Input x1 and Output x1
- RGB / 3rd Party's Navigation Interface
- Direct OEM Steering Remote



android
auto




ULTIMATE CONNECTIVITY




Apple CarPlay™ via USB Connection

CarPlay takes the things you want to do with your iPhone while driving and puts them right on the KW-V930BW screen. You can get directions, make calls and listen to music all in a way that allows you to stay focused on the road. The service may not be available in certain countries. For details, see: <http://www.apple.com/ios/carplay/>



Bluetooth® v3.0 / Dual Phone Hands-free Ready

Hands-free Profile 1.6 for natural voice. High quality BT music streaming for iPhone via AAC, advanced audio coding technology.



Android Auto™ via USB Connection

A simple USB connection gives you immediate access to apps, navigation, music and voice control. A simplified touch screen interface combined with voice control provides a safer driving experience. The service may not be available in certain countries. For details, see: <http://www.android.com/auto/>

Clearer Hands-Free Voice



Wideband Hands-Free Sound

Improved Sound Quality with Hands-free Profile 1.6. It covers wider frequency range and produce clear hands-free voice while driving.



Smartphone "Air Mirroring" over Wi-Fi®

Air Mirroring is a groundbreaking solution for seamlessly displaying your Android or iPhone apps on the KW-V930BW screen without cables or a network connection. 2-way communication (touch control) is available for selected Android Smartphones.



Dual USB input

Supports FAT 16 / 32 and NTFS. Max 1.5A quick charging capability for selected Android Smartphones. USB Video Output to Rear Monitor.


Full control of Spotify

Including play, pause, skip, search playlist and browse station. For service availability in your country, check www.spotify.com




Video files	Audio files
MKV	FLAC
MPEG4	DSD
H.264	AAC / WAV
WMV	MP3 / WMA

HI-FI AUDIO



High-Resolution Audio Files Playable

The KW-V930BW can play up to 192kHz / 24bit audio files. You can enjoy true high-resolution sound.



K2 Technology for Original Master Sound

K2 Technology is JVC KENWOOD's original technology that reproduces the original master sound by up-converting frequency range and bit rate. For example, K2 Technology up-converts CD data (44.1kHz / 16bit) to 192kHz / 32bit, and recreates higher resolution sound. The K2 Technology in the KW-V930BW works with all sources.



13-Band EQ / Time Alignment for the Perfect Sound

The KW-V930BW comes equipped with a 13-Band EQ so that you can fine tune the sound quality based on your taste. Also, by adjusting each speaker's distance to the center of the listening position, the KW-V930BW automatically manages the sound output timing and makes the sound arrive at the listening position at exactly the same time.

Sound Lift Function Virtually elevates the speaker position by adjusting the built-in DSP & EQ. The KW-V930BW also comes with high voltage 4.0V / 3-Preouts so that you can enhance the existing sound system.

SMARTPHONE AIR MIRRORING READY.

KW-V630BT

HDMI™ Interface, 6.8inch WVGA Clear-coated Display, AV Receiver

Tech Specs -Connectivity-

- HDMI™ Interface
- Ready for Air Mirroring (Smartphone Wireless Mirroring)
- Built-in Bluetooth® Version 3.0
- Rear USB input
- Maximum 1.5A Quick Charging for selected Android™ Smartphones
- iPhone® and Android™ music playback

Tech Specs -Audio & Visual-

- 6.8inch WVGA 800x480 pixels
- Clear-coated Resistive Touch Panel
- Customizable GUI background



- FM/AM Radio with Radio Data System (Digital Processing Tuner)
- MOS-FET 50W x4ch Amplifier
- 13-Band Graphic EQ / Time Alignment
- K2 Technology to Reproduce High Quality Sound

Tech Specs -Peripheral Interfaces-

- Rear View Camera Input includes Guideline
- AV Input x1 and Output x1
- RGB / 3rd Party's Navigation Interface
- Direct OEM Steering Remote



HDMI™
Ready for Air Mirroring

Bluetooth®
v3.0

Max 1.5A Charging

K2 TECHNOLOGY
Hi-Fi Sound Quality

CONNECTIVITY

HDMI™



Equipped with HDMI™ Interface, Ready for Smartphone "Air Mirroring"

Air Mirroring is a groundbreaking solution for seamlessly displaying your Android or iPhone apps on the KW-V630BT screen without cables or a network connection. Simply connect a 3rd party's HDMI / Wi-Fi dongle to the KW-V630BT and you can enjoy mirroring.



Bluetooth® v3.0 / Dual Phone Hands-free Ready

You can connect two phones via Bluetooth, with secure and simple pairing. Calls to either phone can be received easily with a push of the KW-V630BT screen. Improved Sound Quality with Hands-free Profile 1.6 Wideband Speech.



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ.


High quality BT music streaming

High quality BT music streaming for iPhone via AAC, advanced audio coding technology.



JVC Remote App via Bluetooth®

Switch KW-V630BT source by gesture or by remote control mode from your smartphone. You can also adjust Time Alignment and 13-band EQ settings with this Remote App. The JVC Remote App is available for both iOS and Android.



USB input

Supports FAT 16 / 32. Max 1.5A quick charging capability for selected Android Smartphones. USB Video Output to Rear Monitor.

Full control of Spotify


Including play, pause, skip, search playlist and browse station. For service availability in your country, check www.spotify.com

Video files
MPEG1
MPEG2
DivX

Audio files
FLAC
AAC
WAV
MP3 / WMA

AUDIO

K2 TECHNOLOGY




K2 Technology for Original Master Sound

K2 Technology reproduces the original master sound by up-converting frequency range and bit rate. The K2 Technology in the KW-V630BT up-converts CD data (44.1kHz / 16bit) to 48kHz / 24 bit, and recreates higher resolution sound. It works with CD, USB and BT Audio.



13-Band EQ / Time Alignment

The KW-V630BT comes equipped with a 13-Band EQ so that you can fine tune the sound quality based on your taste. Also, by adjusting each speaker's distance to the center of the listening position, the KW-V630BT automatically manages the sound output timing and makes the sound arrive at the listening position at exactly the same time.



Sound Lift Function

Virtually elevates the speaker position by adjusting built-in DSP & EQ.

High Voltage 4.0V / 3-Preouts

The KW-V630BT is ready to expand your existing sound system. JVC's "drvn" amplifiers and speakers will be a perfect match with JVC AV receivers.

BEYOND YOUR EXPECTATION. ENTRY-CLASS AV RECEIVERS.



KW-V430BT

6.8inch WVGA
Clear-coated Display, AV Receiver

Tech Specs -Visual-

- **KW-V430BT**
- 6.8inch WVGA 800x480 pixels
- **KW-V330BT**
- 6.8inch Touch Panel & 6.2inch LCD Display
- **KW-V230BT**
- 6.2inch WVGA 800x480 pixels Display
- All models equipped with "Clear-coated" Panel.

Tech Specs -Connectivity-

- Built-in Bluetooth® Version 3.0
- Maximum 1.5A Quick Charging for selected Android™ Smartphones
- iPhone® and Android™ music playback

Tech Specs -Audio-

- FM/AM Radio with Radio Data System (Digital Processing Tuner)
- MOS-FET 50W x4ch Amplifier
- 13-Band Graphic EQ / Time Alignment
- K2 Technology to Reproduce High Quality Sound

Tech Specs -Peripheral Interfaces-

- Rear View Camera Input includes Guideline
- AV Input x1 and Output x1
- RGB / 3rd Party's Navigation Interface
- Direct OEM Steering Remote



KW-V330BT

6.8inch Touch Panel
& 6.2inch WVGA Clear-coated Display, AV Receiver

Rear USB




KW-V230BT

6.2inch WVGA
Clear-coated Display, AV Receiver

Front USB

THE COMMON FEATURES CONNECTIVITY



Bluetooth® v3.0 / Dual Phone Hands-free Ready

You can connect two phones via Bluetooth. Calls to either phone can be received easily with a push of the KW-V series screen. Improved Sound Quality with Hands-free Profile 1.6 Wideband Speech.



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ. High quality BT music streaming for iPhone via AAC.



JVC Remote App via Bluetooth®

You can switch source, and adjust Time Alignment and 13-band EQ settings with this App. It's available for both iOS and Android.



USB input


Supports FAT 16 / 32. Max 1.5A quick charging capability for selected Android Smartphones. USB Video Output to Rear Monitor.

Full control of Spotify

Including play, pause, skip, search playlist and browse station. For service availability in your country, check www.spotify.com

Video files	Audio files
MPEG1	FLAC
MPEG2	AAC
DivX	WAV
	MP3 / WMA

AUDIO



K2 Technology for Original Master Sound

The K2 Technology in the KW-V430BT / 330BT and 230BT up-converts CD data (44.1kHz / 16bit) to 48kHz / 24 bit, and recreates higher resolution sound. It works with CD, USB and BT Audio.



Time Alignment

By adjusting each speaker's distance to the center of the listening position, the KW-V series automatically manages the sound output timing and make the sound arrive at the listening position at exactly the same time.



13-Band EQ for the Perfect Tune

The KW-V series comes equipped with a 13-Band EQ so that you can fine tune the sound quality based on your taste.



Sound Lift Function

Virtually elevates the speaker position by adjusting built-in DSP & EQ.

High Voltage 4.0V / 3-Preouts

The KW-V430BT / 330BT and 230BT are ready to expand your existing sound system. JVC's "drvn" amplifiers and speakers will be a perfect match with JVC AV receivers.

PERFECT FIT.

KW-V520BT

200mm Wide,
7inch WVGA Clear-coated Display, AV Receiver

Tech Specs -Connectivity-

- Built-in Bluetooth® Version 3.0
- Rear USB input
- Maximum 1.5A Quick Charging for selected Android™ Smartphones
- iPhone® and Android™ music playback

Tech Specs -Audio & Visual-

- 7inch WVGA 800x480 pixels Resistive Touch Panel
- FM/AM Radio with Radio Data System (Digital Processing Tuner)
- MOS-FET 50W x4ch Amplifier
- 13-Band Graphic EQ / Time Alignment
- K2 Technology to Reproduce High Quality Sound



Tech Specs -Peripheral Interfaces-

- Rear View Camera Input includes Guideline
- AV Input x1 and Output x1
- RGB / 3rd Party's Navigation Interface
- Direct OEM Steering Remote



THE KEY FEATURES



Bluetooth® v3.0 / Dual Phone Hands-free Ready

You can connect two phones via Bluetooth. Calls to either phone can be received easily with a push of the KW-V series screen. Improved Sound Quality with Hands-free Profile 1.6 Wideband Speech.




USB input

Supports FAT 16 / 32. Max 1.5A quick charging capability for selected Android Smartphones. USB Video Output to Rear Monitor.

Video files
MPEG1
MPEG2
DivX

Audio files
AAC
WAV
MP3 / WMA



K2 Technology for Original Master Sound

The K2 Technology in the KW-V520BT up-converts CD data (44.1kHz / 16bit) to 48kHz / 24 bit, and recreates higher resolution sound. It works with CD, USB and BT Audio.



13-Band EQ / Time Alignment

The KW-V520BT comes equipped with a 13-Band EQ so that you can fine tune the sound quality based on your taste. Also, by adjusting each speaker's distance to the center of the listening position, the KW-V520BT automatically manages the sound output timing and makes the sound arrive at the listening position at exactly the same time.

CONTINUING MODELS



KW-V11

6.2inch WVGA Display, AV Receiver



KW-V12

6.2inch WVGA Display, AV Receiver



KD-DV5606

1Din DVD Receiver

KW-V11 KEY SPECS

Tech Specs -Connectivity-

- Front USB Input
- Maximum 1A Charging
- iPhone® music playback
- Support for USB Mass Storage Class

Tech Specs -Audio & Visual-

- 6.2inch WVGA 800x480 pixels
- FM/AM Radio with Radio Data System
- MOS-FET 50W x4ch Amplifier
- 5-Band Parametric EQ
- 4.0V 3-Preouts

Tech Specs -Peripheral Interfaces-

- Rear View Camera Input
- AV Input x1 and Output x1
- Direct OEM Steering Remote

KW-V12 KEY SPECS

Tech Specs -Connectivity-

- USB Input (USB 2.0 High Speed)
- Maximum 1A Charging
- iPhone music playback
- Support USB Mass Storage Class

Tech Specs -Audio & Visual-

- 6.2inch WVGA 800x480 pixels
- FM/AM Radio with Radio Data System
- MOS-FET 50W x4ch Amplifier
- 3-Band EQ
- 2.0V 3-Preouts

Tech Specs -Peripheral Interfaces-

- Rear View Camera Input
- AV Input x1 and Output x1

KD-DV5606 KEY SPECS

Tech Specs -Connectivity-

- Front USB and AUX Input / Maximum 500mA Charging
- WAV / MP3 / WMA Compatible
- JPEG / MPEG1 and 2 Compatible

Tech Specs -Audio & Visual-

- FM/AM Radio with RDS
- MOS-FET 50W x4ch Amplifier / 3-Band Parametric EQ / 2.5V 1-Preout
- AV Output x1

FEATURE COMPARISON CHART

JVC MULTIMEDIA LINEUP
FEATURE COMPARISON.



model		KW-V930BW	KW-V630BT	KW-V430BT	KW-V330BT	KW-V230BT	KW-V520BT	KW-V11	KW-V12	KD-DV5606
Display	Size (Inch)	6.8" WVGA	6.8" WVGA	6.8" WVGA	6.8" / 6.2" WVGA	6.2" WVGA	7.0" WVGA	6.2" WVGA	6.2" WVGA	-
	Touch Screen Type	Clear Resistive	Clear Resistive	Clear Resistive	Clear Resistive	Clear Resistive	Resistive	Resistive	Resistive	-
Smartphone Integration	Apple CarPlay™	Yes	-	-	-	-	-	-	-	-
	Android Auto™	Yes	-	-	-	-	-	-	-	-
	Built-in Air Mirroring	Yes	-	-	-	-	-	-	-	-
	Ready for Air Mirroring	-	Yes (HDMI)	-	-	-	-	-	-	-
Bluetooth® v3.0	Spotify	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
	2-Phone Hands Free Ready	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
	Music Streaming	Yes	Yes, Streaming DJ	Yes, Streaming DJ	Yes, Streaming DJ	Yes, Streaming DJ	Yes	-	-	-
	AAC for iPhone®	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
USB	JVC Remote App	-	Yes	Yes	Yes	Yes	-	-	-	-
	Video Format	MPEG1, 2, 4 / H.264 / MKV / WMV	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	MPEG 1, 2 / JPEG	MPEG 1, 2 / JPEG
	Video Output to Rear Monitor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
	Audio Format	FLAC / DSD / AAC / MP3 / WMA / WAV / Vorbis	FLAC / AAC / MP3 / WMA / WAV	FLAC / AAC / MP3 / WMA / WAV	FLAC / AAC / MP3 / WMA / WAV	FLAC / AAC / MP3 / WMA / WAV	FLAC / AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	MP3 / WMA / WAV	MP3 / WMA
DVD/ CD Playback	Maximum 1.5A Quick Charge	Yes, for Selected Android	Yes, for Selected Android	Yes, for Selected Android	Yes, for Selected Android	Yes, for Selected Android	Yes, for Selected Android	Max 1A	Max 1A	Max 1A
	Video Format	MPEG1, 2, 4 / H.264 / MKV / WMV	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	DivX / MPEG 1, 2 / JPEG	MPEG 1, 2 / JPEG	MPEG 1, 2 / JPEG
Radio	Video Output to Rear Monitor	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Audio Format	FLAC / AAC / MP3 / WMA / WAV / Vorbis	AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	AAC / MP3 / WMA / WAV	MP3 / WMA / WAV	MP3 / WMA
Audio Section	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM	FM / RDS / AM
	K2 Technology	Yes, Hi-Res	Yes	Yes	Yes	Yes	Yes	-	-	-
	13-Band EQ	Yes	Yes	Yes	Yes	Yes	Yes	5-Band Para-EQ	3-Band EQ	3-Band EQ
	Time Alignment	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
	3-Way X'over Mode	Yes	Yes	Yes	Yes	Yes	Yes	-	-	-
Expandability, etc	Audio Preout	4.0V / 3-Preouts	4.0V / 3-Preouts	4.0V / 3-Preouts	4.0V / 3-Preouts	4.0V / 3-Preouts	4.0V / 3-Preouts	4.0V / 3-Preouts	2.0V / 1-Preout	2.5V / 1-Preout
	Rear View Camera Input	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-
	Rear Camera Guideline	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
	RGB 3rd Party Nav-Interface	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
	AV Input / AV Output	-	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
	Direct OEM Steering Remote	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-
	200mm Panel / Trim	-	-	-	Trim	Trim	Trim	Panel	-	-
Remote Controller	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

CAMERA SOLUTION.

KV-CM30 Rear View Camera

Camera Dimensions W:23.4mm x H:23.4mm x D:23.9mm Weight : 22g (Camera Only)



1/3.6" Color CMOS Sensor with Effective 330,000 Pixels.
Waterproof Design.
Includes Flexible Mounting Bracket.

FW UPDATES.

Car Electronics Support Information

Please check the below site and get the latest support information.

<http://www.jvc.net/cs/car/>



Search for a model name

Enter a model name: search

Select an initial of model name: search



DIRECT OEM STEERING REMOTE

DIRECT OEM STEERING REMOTE FUNCTION WHICH WORKS WITH MOST JAPANESE AND KOREAN VEHICLES.

TOYOTA (20P)	TOYOTA (28P)	TOYOTA (26P)	TOYOTA (10P+6P)	HONDA (20P-B)	HONDA (20P-A)
Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green
Input 2 : Purple	Input 2 : Purple	Input 2 : Purple	Input 2 : Purple	Input 2 : NC	Input 2 : NC
ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray
HONDA (24P)	NISSAN (16P-A)	NISSAN (20P)	NISSAN (16P-B)	MITSUBISHI (20P)	MAZDA (24P)
Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green
Input 2 : NC	Input 2 : Purple	Input 2 : Purple	Input 2 : Purple	Input 2 : NC	Input 2 : NC
ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray
SUBARU (20P)	SUBARU (8P)	SUZUKI (20P)	ISUZU (16P)	HYUNDAI / KIA (24P-A)	HYUNDAI / KIA (24P-B)
Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green	Input 1 : Green
Input 2 : NC	Input 2 : NC	Input 2 : NC	Input 2 : NC	Input 2 : NC	Input 2 : NC
ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray	ST REMOTE GND : Gray

The information for each vehicle above was investigated by JVCKENWOOD Asia Headquarters, and may not cover all of the connector types. Please contact your local JVC dealers for details.

*Location of Steering Remote Connector

If the vehicle is equipped with an OEM steering remote controller, the steering remote connector is commonly located in the console.




*How to view Steering Remote Connector

All steering wheel remote controls to the left are vehicle-side connectors and drawn from the side. (view indicated by arrow)



*Steering Remote Cable (included in the unit)



- 1) Look for a steering remote connector that is the same shape as in the image to the left in the console.
- 2) Connect "Input 1", "Input 2" and "ST REMOTE GND" to the pins shown in matching colors on the above list of connectors.




ENTRY-CLASS SPEAKERS

Lightweight PEI (Polyetherimide) Tweeter

Mica Cone / Hybrid Surround

Light / tight woofer cone produces a vivid sound.



Specifications	CS-JS600	CS-J620X / 520X / 420X	CS-J610X / 510X / 410X	CS-J6930
Rated Power at 4ohms *RMS Continuous Power	30W 16cm 2Way Speakers	30W / 30W / 21W 16cm / 13cm / 10cm 2Way Speakers	30W / 30W / 21W 16cm / 13cm / 10cm Dual Cone Speakers	45W 6 x 9inch 3Way Speakers
Peak Power	300W	300W / 250W / 210W	300W / 250W / 210W	400W
Frequency Response	35Hz - 22kHz	35Hz / 40Hz / 45Hz - 22kHz	35Hz / 40Hz / 45Hz - 20kHz	30Hz - 22kHz
Mounting Depth (mm)	43mm	43mm / 43.5mm / 43.1mm	43mm / 43.5mm / 43.1mm	76mm



HIGH SPL SOUND.

Carbon Myca Cone

Neodymium Magnet (Mid-range)

Punching Metal with High Numerical Aperture



Specifications	CS-HX6959 / 6949
Rated Power at 4ohms *RMS Continuous Power	80W / 80W 6 x 9inch 5Way / 4Way Speakers
Peak Power	650W / 600W
Frequency Response	25Hz - 30kHz / - 25kHz
Mounting Depth (mm)	81mm / 81mm



AMPLIFIERS

DRIVE DYNAMIC SOUND.



KS-DR3004

AB Class, 4 / 3 / 2 ch Amplifier

Peak Power
800W

RMS Power at 4ohms
60W x 4

JVC THD(4Ω) > 0.04%

Total Harmonic Distortion 40W 1kHz @4Ω
Mid-range distortion reduced, achieving clear sound quality.

* Based on JVC measurement results

Others THD (4Ω) > 1%

Total Harmonic Distortion 40W 1kHz @4Ω

Large Toroidal Transformer


High density and low flux leakage improves the conversion efficiency of the power and produces natural and powerful sound through all the volume range.

Balanced Speaker-level Input with Signal Sensing Turn-On

120Hz / 12dB High Pass Filter
80Hz / 12dB Low Pass Filter

MOS-FET for Responsive Operation

The high-current transistor ensures fast, efficient power transfer for responsive operation and improves the sound linearity.



Specifications

KS-DR3004

KS-DR3002

KS-DR3001D

Rated Power at 4ohms
*RMS Continuous Power

60W x 4 ch / 180W x 2 ch at Bridged
4 ch Amplifier

65W x 2 ch / 180W at Bridged
2 ch Amplifier

250W at 4ohms / 400W at 2ohms
Class-D, Mono Amplifier

Maximum Power

800W

400W

800W

THD

0.04%

0.04%

0.08%

Filters

High / Low Pass Filter

High / Low Pass Filter

Low Pass Filter

Dimensions (mm)

322(W) x 185(D) x 52(H)

194(W) x 185(D) x 52(H)

227(W) x 185(D) x 52(H)



SPEAKERS

DRIVE DYNAMIC SOUND.

Super Heat-Resistant ABS Gasket

1,106g Ferrite Magnet / Faston Terminal.
Sound Pressure Level 87.5dB/W.m




CS-DR620

16cm 2Way Speakers

Peak Power
300W

RMS Power at 4ohms
50W



CW-DR120

30cm Subwoofer

Peak Power
1800W

RMS Power at 4ohms
300W

3D Structure Olefin Diaphragm High-Density Foam Surrounding.



Specifications

CS-DR620 / 520 / 420

CS-DR600C

CS-DR6940 / 6930

CW-DR120

Rated Power at 4ohms
*RMS Continuous Power

50W / 40W / 35W
16cm / 13cm / 10cm 2Way Speakers

60W
16cm Component Speakers

90W / 70W
4Way / 3Way Speakers

300W
30cm Subwoofer

Peak Power

300W / 260W / 220W

360W

550W / 500W

1800W

Frequency Response

85Hz - 23.8kHz / 85Hz - 25kHz / 114Hz - 23kHz

76Hz - 24kHz

56Hz / 58Hz - 21kHz

25Hz - 2500Hz

Mounting Depth (mm)

44mm / 44.5mm / 45.5mm

56.5mm

79mm / 79mm

136.6mm

BLUETOOTH AUDIO SOLUTIONS.


YOUR SMARTPHONE CAN BE AN ADVANCED CONTROLLER.



KD-R881BT

Built-in Bluetooth®, USB / CD Receiver

Bluetooth Centric Accent Key with Multi-Color Illumination. The other hard-keys have blue illumination.




K2 Technology for Original Master Sound

The K2 Technology in the KD-R881BT / 781BT and KD-X341BT up-converts CD data (44.1kHz / 16bit) to 48kHz / 24 bit, and recreates higher resolution sound. It works with CD, USB and BT Audio.

13-Band EQ / Volume Link EQ Adjustment

You can fine tune the sound quality by adjusting the built-in 13-Band EQ. Also, JVC Audio automatically boosts specific frequencies in the audio signal sync with volume levels to compensate for the impact of road noise.



JVC Remote App via Bluetooth®

You can switch source, and adjust Time Alignment and 13-band EQ settings with this App. It's available for both iOS and Android.



Time Alignment

Also, by adjusting each speaker's distance to the center of the listening position, the audio receiver will automatically manage the sound output timing and make the sound arrive at the listening position at exactly the same time.



KD-R781BT

Built-in Bluetooth®, USB / CD Receiver

Bluetooth Centric Accent Key with Multi-Color Illumination. The other hard-keys have red illumination.



KD-X341BT

Built-in Bluetooth®, USB Receiver



Sound Lift Function

Virtually elevates the speaker position by adjusting built-in DSP & EQ.

High Voltage 4.0V Audio Preout

Ready to expand your existing sound system.
KD-R881BT : 3-Preouts / KD-R781BT and KD-X341BT : 2-Preouts

THE COMMON CONNECTIVITY FEATURES



Bluetooth® v3.0 / Dual Phone Hands-free Ready

You can connect two phones via Bluetooth. Calls to either phone can be received easily with a push of a receiver's key. Improved Sound Quality with Hands-free Profile 1.6 Wideband Speech.



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ. High quality BT music streaming for iPhone via AAC.



USB input

Max 1.5A quick charging capability for selected Android Smartphones.

Audio files
FLAC
WAV
MP3 / WMA

Specifications	KD-R881BT	KD-R781BT	KD-X341BT
Built-in Bluetooth®	Yes, Ver 3.0	Yes, Ver 3.0	Yes, Ver 3.0
Works with JVC Remote App	Yes	Yes	Yes
USB	Yes, Front	Yes, Front	Yes, Front
Compatible Audio Files	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Smartphone Charging	Max 1.5A for Selected Android	Max 1.5A for Selected Android	Max 1.5A for Selected Android
Audio Preout	4.0V 3-Preouts	4.0V 2-Preouts	4.0V 2-Preouts
EQ	13-Band EQ	13-Band EQ	13-Band EQ
Time Alignment	Yes	Yes	Yes
Key Illumination Color	Blue	Red	Blue
Remote Controller	Included	Included	Included

SLEEK DESIGN

ENTRY CLASS USB / CD AUDIO SOLUTIONS.



KD-R481
USB / CD Receiver

One-Touch "drvn" EQ Key with Multi-Color Illumination. The other hard-keys are blue illumination.

THE COMMON KEY FEATURES




USB Input / Android™ Music Playback
Support for Android Open Accessory Protocol v2 to secure music playback for Android. Maximum 1A charging capability.

Audio files
FLAC
WAV
MP3 / WMA



One-touch "drvn" EQ + 12-Preset EQ
JVC Audio is ready to sync with your preference of sound character.

drvn EQ	Bass Boost	Hard Rock	R & B
	Classical	Hip Hop	Talk
	Dance	Jazz	User
	Flat	Pop	Vocal Boost



Vertical Alignment LCD Display
Higher Contrast & Wider Viewing Angle, Improved LCD Display.



Midnight Blue Color Panel
KD-R489
USB / CD Receiver

One-Touch "drvn" EQ Key with Multi-Color Illumination. The other hard-keys are white illumination.



Energy saving design
Stand-by Current : Under 1mA

KD-R486
USB / CD Receiver

One-Touch "drvn" EQ Key with Multi-Color Illumination. The other hard-keys are red illumination.



Made for iPod and iPhone®
KD-R681
iPod USB / CD Receiver

One-Touch "drvn" EQ Key with Multi-Color Illumination. The other hard-keys are blue illumination.



KD-R482
USB / CD Receiver

Specifications	KD-R481	KD-R486	KD-R489	KD-R482	KD-R681
USB	Yes, Front	Yes, Front	Yes, Front	Yes, Front	Yes, Front
Compatible Audio File	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Smartphone Charging	Max 1A	Max 1A	Max 1A	Max 1A	Max 1A
Audio Preout	2.5V 1-Preout	2.5V 1-Preout	2.5V 1-Preout	2.5V 1-Preout	2.5V 2-Preouts
EQ	3-Band Para-EQ	3-Band Para-EQ	3-Band Para-EQ	3-Band Para-EQ	3-Band Para-EQ
Digital Processing Tuner	Yes	Yes	Yes	Yes	Yes
Key Illumination Color	Blue	Red	White	Red	Blue
Remote Controller	Included	Included	Included	Included	Included

DUAL DIN AUDIO SOLUTIONS.



KW-R920BT

Built-in Bluetooth®,
USB / CD Receiver



KW-R520

USB / CD Receiver

KW-R920BT / KW-R520 both include
200mm wide escutcheon.

KW-R920BT KEY FEATURES




Bluetooth® v3.0 / Dual Phone Hands-free Ready

You can connect two phones via Bluetooth. Calls to either phone can be received easily with a push of the Bluetooth button. Improved Sound Quality with Hands-free Profile 1.6 Wideband Speech. Bluetooth Music Streaming.



USB Input / Android™ and iPhone® Music Playback

Max 1.5A quick charging capability for selected Android Smartphones.



K2 Technology for Original Master Sound

The K2 Technology up-converts CD data (44.1kHz / 16bit) to 48kHz / 24 bit, and recreates higher resolution sound. It works with CD, USB and BT Audio.

Specifications	KW-R920BT	KW-R520
Built-in Bluetooth®	Yes, Ver 3.0	-
JVC Remote App	-	-
USB	Yes	Yes
Compatible Audio Files	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Smartphone Charging	Max 1.5A for Selected Android	Max 1A
Audio Preout	4.0V 3-Preouts	2.5V 1-Preout
EQ	13-Band EQ	3-Band Para EQ
Digital Processing Tuner	Yes	Yes
Key Illumination Color	3-Zone Multi-Color	Multi-Color
Remote Controller	Included	Included

DIGITAL MEDIA RECEIVERS



KD-X141M

USB Receiver



Energy saving design
Stand-by Current : Under 1mA



Made for iPod and iPhone®

KD-X241

iPod USB Receiver

THE COMMON KEY FEATURES



USB Input / Android™ and iPhone® Music Playback

Max 1.5A quick charging capability for selected Android Smartphones.



"drvn" EQ + 12-Preset EQ

JVC Audio is ready to sync with your preference of sound character.

drvn EQ	Bass Boost	Hard Rock	R & B
	Classical	Hip Hop	Talk
	Dance	Jazz	User
	Flat	Pop	Vocal Boost

Specifications	KD-X141	KD-X241
USB	Yes	Yes
Android™ Music Playback	Yes	Yes
iPhone® Music Playback	No	Yes
Compatible Audio File	FLAC / WAV / MP3 / WMA	FLAC / WAV / MP3 / WMA
Smartphone Charging	Max 1A	Max 1A
Audio Preout	2.5V 1-Preout	2.5V 1-Preout
EQ	3-Band Para EQ	3-Band Para EQ
Digital Processing Tuner	Yes	Yes
Key Illumination Color	Red	Red
Remote Controller	Included	Included